



Roto X-DRIVE OP10 Operating System

Roto's new OP10 is a face mount operator manufactured with the same precision, laser-cut arms as used in OP06 and OP08 operators.




Features & Benefits


- Fits into aluminum profiles with tight hardware cavities, requiring 1/8" less cavity height than other Roto operators
- Available in both powder coated steel and 304 SST
- Features fully sealed housing to protect against the elements
- Split arm, single arm (7.5", 9.5", 13.5"), and awning variants offered in a variety of colors
- Detachable operator cover caps not required
- Optional gasket and fixing plate available
- Standard #10-24 pre-threaded rear-facing mounting holes for clean look
- Simple window routing options for easy installation
- Color-matched fixed handle with secure set screw
- NAFS certified to AAMA 901 (certificate available upon request)



Eliminating base surface mount protrusion allows it to fit into tighter operator cavities



G2 White - 00



Silver Grey - 12



Black - 70

Non-folding Handle

Part Number	Description	Box Quantity
2008295	OP10 NON FOLDING HANDLE, G2 WHITE	100
2008297	OP10 NON FOLDING HANDLE, BLACK	100
2008298	OP10 NON FOLDING HANDLE, SILVER	100

Awning Operator

Part Number	Description	Box Quantity
2008285	OP10 CRS AWNING OPERATOR, G2 WHITE	20
2008286	OP10 SS AWNING OPERATOR, G2 WHITE	20
2008289	OP10 CRS AWNING OPERATOR, BLACK	20
2008290	OP10 SS AWNING OPERATOR, BLACK	20
2008291	OP10 CRS AWNING OPERATOR, SILVER	20
2008292	OP10 SS AWNING OPERATOR, SILVER	20

Single Arm Operator

Part Number	Description	Box Quantity
2008285	OP10 CRS AWNING OPERATOR, G2 WHITE	20
2008286	OP10 SS AWNING OPERATOR, G2 WHITE	20
2008289	OP10 CRS AWNING OPERATOR, BLACK	20
2008290	OP10 SS AWNING OPERATOR, BLACK	20
2008291	OP10 CRS AWNING OPERATOR, SILVER	20
2008292	OP10 SS AWNING OPERATOR, SILVER	20
2008220	OP10 SS RH 7.5 SINGLE ARM, BLACK	20
2008221	OP10 CRS LH 9.5 SINGLE ARM, BLACK	20
2008222	OP10 CRS RH 9.5 SINGLE ARM, BLACK	20
2008223	OP10 SS LH 9.5 SINGLE ARM, BLACK	20
2008224	OP10 SS RH 9.5 SINGLE ARM, BLACK	20
2008225	OP10 CRS LH 13.5 SINGLE ARM, BLACK	20
2008226	OP10 CRS RH 13.5 SINGLE ARM, BLACK	20
2008227	OP10 SS LH 13.5 SINGLE ARM, BLACK	20
2008228	OP10 SS RH 13.5 SINGLE ARM, BLACK	20
2008229	OP10 CRS LH 7.5 SINGLE ARM, SILVER	20
2008230	OP10 CRS RH 7.5 SINGLE ARM, SILVER	20
2008229	OP10 CRS LH 7.5 SINGLE ARM, SILVER	20
2008230	OP10 CRS RH 7.5 SINGLE ARM, SILVER	20
2008231	OP10 SS LH 7.5 SINGLE ARM, SILVER	20
2008232	OP10 SS RH 7.5 SINGLE ARM, SILVER	20

Single Arm Operator

Part Number	Description	Box Quantity
2008233	OP10 CRS LH 9.5 SINGLE ARM, SILVER	20
2008234	OP10 CRS RH 9.5 SINGLE ARM, SILVER	20
2008235	OP10 SS LH 9.5 SINGLE ARM, SILVER	20
2008236	OP10 SS RH 9.5 SINGLE ARM, SILVER	20
2008237	OP10 CRS LH 13.5 SINGLE ARM, SILVER	20
2008238	OP10 CRS RH 13.5 SINGLE ARM, SILVER	20
2008239	OP10 SS LH 13.5 SINGLE ARM, SILVER	20

Split Arm Operator

Part Number	Description	Box Quantity
2008265	OP10 CRS RH SPLIT ARM OPERATOR, G2 WHITE	40
2008266	OP10 SS LH SPLIT ARM OPERATOR, G2 WHITE	40
2008267	OP10 SS RH SPLIT ARM OPERATOR, G2 WHITE	40
2008273	OP10 CRS LH SPLIT ARM OPERATOR, BLACK	40
2008274	OP10 CRS RH SPLIT ARM OPERATOR, BLACK	40
2008275	OP10 SS LH SPLIT ARM OPERATOR, BLACK	40
2008276	OP10 SS RH SPLIT ARM OPERATOR, BLACK	40
2008277	OP10 CRS LH SPLIT ARM OPERATOR, SILVER	40
2008278	OP10 CRS RH SPLIT ARM OPERATOR, SILVER	40
2008279	OP10 SS LH SPLIT ARM OPERATOR, SILVER	40
2008280	OP10 SS RH SPLIT ARM OPERATOR, SILVER	40